

6-11-07

IFW 2855

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE	
<b>REPLY TO RESTRICTION REQUIREMENT</b> <b>DATED 05/14/2007</b>	Atty. Docket No. <b>ENTG1610-1</b>
Applicant <b>Christopher Wargo</b>	
Application Number <b>10/521,697</b>	Date Filed <b>June 14, 2005</b>
Title <b>FLUID FLOW MEASURING AND PROPORTIONAL FLUID FLOW CONTROL DEVICE</b>	
Group Art Unit <b>2855</b>	Examiner <b>Unknown</b>
Confirmation Number: <b>1159</b>	



Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313

Dear Sir:

<p align="center"><b><u>Certification Under 37 C.F.R. § 1.10</u></b></p> <p>I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail No. EV887562281US in an envelope addressed to: Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313 on <u>June 8, 2007</u>.</p> <p align="center"><u>Brenda Cross</u> Signature</p> <p align="center"><u>Brenda Cross</u> Printed Name</p>
---

The Examiner states that restriction is required under 35 U.S.C. § 121 to one of the following inventions:

Group III:      Claims 33-44 and 50-54, drawn to a fluid flow measuring and proportional fluid flow control service

Applicant elects to prosecute Claims 33-44 and 50-54 of Group III with traverse. The traversal is based on an examination of all the claims not being a burden upon the Office. Applicant does not believe any fees are due and owing. If any fees are required, or if any amounts have been overpaid, please appropriately charge or credit those fees to Deposit Account No. 50-3183 of Sprinkle IP Law Group.

Respectfully submitted,

**Sprinkle IP Law Group**

John L. Adair  
Reg. No. 48,828

Dated: 6/6 2007  
1301 W. 25<sup>th</sup> Street, Suite 408  
Austin, Texas 78705  
Tel. (512) 637-9220  
Fax. (512) 371-9088